



{In Archive} Pineview Estates

Aaron Setran to: [REDACTED] b6

08/08/2008 03:13 PM

Cc: Deborra Samuels, Rosemary Hardy, Rich Campbell, David Albright

From: Aaron Setran/R9/USEPA/US

To: jtipton@c [REDACTED] b6

Cc: Deborra Samuels/R9/USEPA/US@EPA, Rosemary Hardy/R9/USEPA/US@EPA, Rich Campbell/R9/USEPA/US@EPA, David Albright/R9/USEPA/US@EPA

Archive: This message is being viewed in an archive.

Dear Ms. Tipton:

Just received your e-mail inquiring about EPA's penalty action against PineView Estates for Safe Drinking Water Act violations. I am the staff person who is charged with overseeing this matter for EPA. Please feel free to give me a call so that I may answer any questions or concerns you may have. Thank you, Aaron

Aaron Carr Setran
U.S. EPA, Water Division
75 Hawthorne St.
San Francisco, CA 94105
(415) 972-3457

----- Forwarded by Aaron Setran/R9/USEPA/US on 08/08/2008 03:00 PM -----




**Deborra
Samuels/R9/USEPA/US**

08/08/2008 01:28 PM

To Rosemary Hardy/R9/USEPA/US@EPA, Aaron Setran/R9/USEPA/US@EPA

cc Alexis Strauss/R9/USEPA/US@EPA

Subject Alexis, please disregard prior email - we've rerouted to Aaron Setran - possible compliance issue, NV 

Hi Aaron,

Please reply to the inquiry below and copy Rosemary and me on any correspondence.

Apologies on the delay in forwarding to you. We receive a lot of inquiries and are quite backlogged at this time.

Thanks for your help!

Deborra

Deborra Samuels
Library Director & Information Services Coordinator
U.S. EPA Region 9 Library
75 Hawthorne St.
San Francisco, CA 94105
(415) 972-3655 / fax (415) 947-3553
samuels.deborra@epa.gov

<http://www.epa.gov/region9/library>

Rosemary Hardy/R9/USEPA/US



**Rosemary
Hardy/R9/USEPA/US**
08/08/2008 11:41 AM

To Alexis Strauss/R9/USEPA/US@EPA
cc Deborra Samuels/R9/USEPA/US@EPA
Subject Fw: (206185247) Region 9 Information Request / possible compliance issue, NV

Hi Alexis,

Can you respond to the question below? Here is the link to the press release:

<http://yosemite.epa.gov/OPA/ADMPRESS.NSF/eebfaebc1afd883d85257355005afd19/a9564f4525466af5852573af0078b3af!OpenDocument>

Please copy me and Deborra on any response.

Thanks!
Rosemary

Rosemary Hardy, Reference Librarian/ ASRC Management Services
U.S. EPA Region 9 Library / 75 Hawthorne St. / San Francisco, CA 94105

hardy.rosemary@epa.gov / 415-972-3657 phone / 415-947-3553 fax
<http://www.epa.gov/natlibra/region9.html>

----- Forwarded by Rosemary Hardy/R9/USEPA/US on 08/08/2008 11:35 AM -----



**Deborra
Samuels/R9/USEPA/US**
08/07/2008 04:30 PM

To Rosemary Hardy/R9/USEPA/US@EPA
cc
Subject Fw: (206185247) Region 9 Information Request / possible compliance issue, NV

Dear Ms. Tipton:

Just recieved your e-mail inquiring about the PineView Estates penalty issued by EPA

----- Forwarded by Deborra Samuels/R9/USEPA/US on 08/07/2008 04:28 PM -----



"idaemon.rtpnc.epa.gov" <idaemon@unixpub.epa.gov> on 07/25/2008 03:52:47 PM

To: Info R9@EPA
cc:
Subject: (206185247) Region 9 Information Request

jtipton@ [REDACTED] b6
name
Linda Jane Tipton
org

private homeowner

phone

7 [REDACTED] 06 [REDACTED]

request

I live across the highway from Pineview Estates in Gardnerville, NV. There was an article in the local newspaper back in December 2007 about the EPA fining the developer for violating underground injection control. What is the status of this? Even though we live across the highway, we smell sewage on a daily basis from that site. We are afraid they are not in compliance and we are concerned about the quality of our drinking water (we are on a well). Please respond ASAP. We are very concerned!!!
